

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(1)</b>	1st Cat-1	9	S4-19° 575w	DS Front	R333+R132		
<b>(2)</b>	1st Cat-1	8	S4-19° 575w	DS Front	R333+R132		
<b>(3)</b>	1st Cat-1	6	S4-19° 575w	DS Front	R333+R132		
<b>(4)</b>	1st Cat-1	4	S4-19° 575w	DS Front	R333+R132		
<b>(5)</b>	1st Cat-1	3	S4-19° 575w	DS Front	R333+R132		
<b>(6)</b>	1st Electric/LS 5	16	S4-36° 575w	US Front	R333+R132		
<b>(7)</b>	1st Electric/LS 5	13	S4-36° 575w	US Front	R333+R132		
<b>(8)</b>	1st Electric/LS 5	12	S4-36° 575w	US Front	R333+R132		
<b>(9)</b>	1st Electric/LS 5	9	S4-36° 575w	US Front	R333+R132		
<b>(15)</b>	1st Electric/LS 5	14	S4-36° 575w	Specials(TBA)	R132		
<b>(17)</b>	1st Electric/LS 5	11	S4-36° 575w	Specials(TBA)	R132		
<b>(21)</b>	1st Cat-1	10	S4-19° 575w	blue toner	R83		
<b>(22)</b>	1st Cat-1	5	S4-19° 575w	blue toner	R83		
<b>(23)</b>	1st Cat-1	1	S4-19° 575w	blue toner	R83		
<b>(24)</b>	1st Cat-1	11	S4-19° 575w	blue/green toner	R76		
<b>(25)</b>	1st Cat-1	7	S4-19° 575w	blue/green toner	R76		
<b>(26)</b>	1st Cat-1	2	S4-19° 575w	blue/green toner	R76		
<b>(41)</b>	1st Electric/LS 5	10	S4-26° 575w	Area Side	L202		
<b>(42)</b>	1st Electric/LS 5	7	S4-26° 575w	Area Side	L202		
<b>(43)</b>	1st Electric/LS 5	5	S4-26° 575w	Area Side	L202		
<b>(44)</b>	1st Electric/LS 5	3	S4-26° 575w	Area Side	L202		
<b>(45)</b>	1st Electric/LS 5	1	S4-26° 575w	Area Side	L202		
<b>(46)</b>	1st Electric/LS 5	8	S4-26° 575w	Area Side	L202		

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(47)</b>	1st Electric/LS 5	6	S4-26° 575w	Area Side	L202		
<b>(48)</b>	1st Electric/LS 5	4	S4-26° 575w	Area Side	L202		
<b>(49)</b>	1st Electric/LS 5	2	S4-26° 575w	Area Side	L202		
<b>(51)</b>	2nd Electric/LS 24	4	S4-26° 575w	Area Side	L202		
<b>(52)</b>	2nd Electric/LS 24	3	S4-26° 575w	Area Side	L202		
<b>(53)</b>	2nd Electric/LS 24	2	S4-26° 575w	Area Side	L202		
<b>(61)</b>	1st Electric/LS 5	24	S4-26° 575w	Area Side	L202		
<b>(62)</b>	1st Electric/LS 5	22	S4-26° 575w	Area Side	L202		
<b>(63)</b>	1st Electric/LS 5	20	S4-26° 575w	Area Side	L202		
<b>(64)</b>	1st Electric/LS 5	18	S4-26° 575w	Area Side	L202		
<b>(65)</b>	1st Electric/LS 5	15	S4-26° 575w	Area Side	L202		
<b>(67)</b>	1st Electric/LS 5	23	S4-26° 575w	Area Side	L202		
<b>(68)</b>	1st Electric/LS 5	21	S4-26° 575w	Area Side	L202		
<b>(69)</b>	1st Electric/LS 5	19	S4-26° 575w	Area Side	L202		
<b>(70)</b>	1st Electric/LS 5	17	S4-26° 575w	Area Side	L202		
<b>(71)</b>	2nd Electric/LS 24	18	S4-26° 575w	Area Side	L202		
<b>(72)</b>	2nd Electric/LS 24	17	S4-26° 575w	Area Side	L202		
<b>(73)</b>	2nd Electric/LS 24	16	S4-26° 575w	Area Side	L202		
<b>(81)</b>	2nd Electric/LS 24	13	S4 PAR MFL 575w		R80		
<b>(82)</b>	2nd Electric/LS 24	11	S4 PAR MFL 575w		R80		
<b>(83)</b>	2nd Electric/LS 24	9	S4 PAR MFL 575w		R80		
<b>(84)</b>	2nd Electric/LS 24	7	S4 PAR MFL 575w		R80		
<b>(85)</b>	3rd Electric/LS 42	20	S4 PAR MFL 575w		R80		
<b>(86)</b>	3rd Electric/LS 42	18	S4 PAR MFL 575w		R80		
<b>(87)</b>	3rd Electric/LS 42	16	S4 PAR MFL 575w		R80		

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(88)</b>	3rd Electric/LS 42	14	S4 PAR MFL 575w		R80		
<b>(91)</b>	2nd Electric/LS 24	14	S4 PAR MFL 575w		N/C		
<b>(92)</b>	2nd Electric/LS 24	12	S4 PAR MFL 575w		N/C		
<b>(93)</b>	2nd Electric/LS 24	8	S4 PAR MFL 575w		N/C		
<b>(94)</b>	2nd Electric/LS 24	6	S4 PAR MFL 575w		N/C		
<b>(95)</b>	3rd Electric/LS 42	21	S4 PAR MFL 575w		N/C		
<b>(96)</b>	3rd Electric/LS 42	19	S4 PAR MFL 575w		N/C		
<b>(97)</b>	3rd Electric/LS 42	15	S4 PAR MFL 575w		N/C		
<b>(98)</b>	3rd Electric/LS 42	13	S4 PAR MFL 575w		N/C		
<b>(101)</b>	DSR Boom	5	S4-36° 575w		N/C, T: GAM 703		
<b>(102)</b>	USR Boom	5	S4-36° 575w		N/C, T: GAM 703		
<b>(103)</b>	DSL Boom	5	S4-36° 575w		N/C, T: GAM 703		
<b>(104)</b>	USL Boom	1	S4-36° 575w		N/C, T: GAM 703		
<b>(111)</b>	DSR Boom	4	S4-36° 575w		R07		
<b>(112)</b>	USR Boom	4	S4-36° 575w		R07		
<b>(113)</b>	DSL Boom	4	S4-36° 575w		R07		
<b>(114)</b>	USL Boom	2	S4-36° 575w		R07		
<b>(121)</b>	DSR Boom	3	S4-36° 575w		R56		
<b>(122)</b>	USR Boom	3	S4-36° 575w		R56		
<b>(123)</b>	DSL Boom	3	S4-36° 575w		R56		
<b>(124)</b>	USL Boom	3	S4-36° 575w		R56		
<b>(131)</b>	DSR Boom	2	S4-36° 575w		R68		
<b>(132)</b>	USR Boom	2	S4-36° 575w		R68		

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(133)</b>	DSL Boom	2	S4-36° 575w		R68		
<b>(134)</b>	USL Boom	4	S4-36° 575w		R68		
<b>(141)</b>	DSR Boom	1	S4-36° 575w		L203		
<b>(142)</b>	USR Boom	1	S4-36° 575w		L203		
<b>(143)</b>	DSL Boom	1	S4-36° 575w		L203		
<b>(144)</b>	USL Boom	5	S4-36° 575w		L203		
<b>(151)</b>	3rd Electric/LS 42	33	S4 PAR MFL 575w		R89		
<b>(152)</b>	3rd Electric/LS 42	31	S4 PAR MFL 575w		R89		
<b>(153)</b>	3rd Electric/LS 42	29	S4 PAR WFL 575w		R89		
<b>(154)</b>	3rd Electric/LS 42	5	S4 PAR WFL 575w		R89		
<b>(155)</b>	3rd Electric/LS 42	3	S4 PAR MFL 575w		R89		
<b>(156)</b>	3rd Electric/LS 42	1	S4 PAR MFL 575w		R89		
<b>(161)</b>	2nd Electric/LS 24	15	S4 PAR MFL 575w		R339		
<b>(162)</b>	2nd Electric/LS 24	10	S4 PAR MFL 575w		R339		
<b>(163)</b>	2nd Electric/LS 24	5	S4 PAR MFL 575w		R339		
<b>(164)</b>	3rd Electric/LS 42	22	S4 PAR MFL 575w		R339		
<b>(165)</b>	3rd Electric/LS 42	17	S4 PAR MFL 575w		R339		
<b>(166)</b>	3rd Electric/LS 42	12	S4 PAR MFL 575w		R339		
<b>(171)</b>	3rd Electric/LS 42	32	S4 PAR MFL 575w		R22		
<b>(172)</b>	3rd Electric/LS 42	30	S4 PAR MFL 575w		R22		
<b>(173)</b>	3rd Electric/LS 42	28	S4 PAR WFL 575w		R22		
<b>(174)</b>	3rd Electric/LS 42	6	S4 PAR WFL 575w		R22		
<b>(175)</b>	3rd Electric/LS 42	4	S4 PAR MFL 575w		R22		
<b>(176)</b>	3rd Electric/LS 42	2	S4 PAR MFL 575w		R22		

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(181)</b>	3rd Electric/LS 42	7	S4-36° 575w		R12, T: GAM 341		
<b>(182)</b>	3rd Electric/LS 42	8	S4-36° 575w		R12, T: GAM 341		
<b>(183)</b>	3rd Electric/LS 42	27	S4-36° 575w		R12, T: GAM 341		
<b>(184)</b>	3rd Electric/LS 42	26	S4-36° 575w		R12, T: GAM 341		
<b>(185)</b>	3rd Electric/LS 42	9	S4-36° 575w		N/C, T: GAM 635		
<b>(186)</b>	3rd Electric/LS 42	10	S4-36° 575w		N/C, T: GAM 635		
<b>(187)</b>	3rd Electric/LS 42	25	S4-36° 575w		N/C, T: GAM 635		
<b>(188)</b>	3rd Electric/LS 42	24	S4-36° 575w		N/C, T: GAM 635		
<b>(189)</b>	3rd Electric/LS 42	23	S4-50° 575w		L202, T: Rosco 71054		
<b>(190)</b>	3rd Electric/LS 42	11	S4-50° 575w		L202, T: Rosco 71054		
<b>(205)</b>	2nd Electric/LS 24	19	S4-36° 575w	Back wall Gobo	N/C, T: GAM 391		
<b>(208)</b>	2nd Electric/LS 24	1	S4-36° 575w	Back wall Gobo	N/C, T: GAM 391		
<b>(214)</b>	Upstage floor mount	1	S4-36° 575w		N/C, T: GAM 847		
<b>(215)</b>	Upstage floor mount	4	S4-36° 575w		N/C, T: GAM 847		
<b>(216)</b>	Upstage floor mount	2	S4-36° 575w		N/C, T: Rosco 77798		
<b>(217)</b>	Upstage floor mount	3	S4-36° 575w		N/C, T: Rosco 77798		

# Channel Hookup

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dm	Ad
<b>(301)</b>	5th Electric/LS76	3	Sky Cyc Left 1kW		R26		
	"	7	"		"		
	"	11	"		"		
	"	15	"		"		
	"	19	"		"		
	"	23	"		"		
<b>(302)</b>	5th Electric/LS76	2	2 Cell Sky Cyc Right 1kW		R91		
	"	6	"		"		
	"	10	"		"		
	"	14	"		"		
	"	18	"		"		
	"	22	"		"		
<b>(303)</b>	5th Electric/LS76	1	Sky Cyc Left 1kW		R83		
	"	5	"		"		
	"	9	"		"		
	"	13	"		"		
	"	17	"		"		
	"	21	"		"		

## TABLE OF CONTENTS

1st Cat-1 .....	1	Upstage floor mount .....	6
1st Electric/LS 5 .....	2	DSR Boom .....	7
2nd Electric/LS 24 .....	3	USR Boom .....	7
3rd Electric/LS 42 .....	4	DSL Boom .....	7
5th Electric/LS76 .....	6	USL Boom .....	8

**1st Cat-1**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1	blue toner	S4-19°	575w	R83	(23)		
2	blue/green toner	S4-19°	575w	R76	(26)		
3	DS Front	S4-19°	575w	R333+R132	(5)		
4	DS Front	S4-19°	575w	R333+R132	(4)		
5	blue toner	S4-19°	575w	R83	(22)		
6	DS Front	S4-19°	575w	R333+R132	(3)		
7	blue/green toner	S4-19°	575w	R76	(25)		
8	DS Front	S4-19°	575w	R333+R132	(2)		
9	DS Front	S4-19°	575w	R333+R132	(1)		
10	blue toner	S4-19°	575w	R83	(21)		
11	blue/green toner	S4-19°	575w	R76	(24)		



**1st Electric/LS 5**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1	Area Side	S4-26°	575w	L202	(45)		
2	Area Side	S4-26°	575w	L202	(49)		
3	Area Side	S4-26°	575w	L202	(44)		
4	Area Side	S4-26°	575w	L202	(48)		
5	Area Side	S4-26°	575w	L202	(43)		
6	Area Side	S4-26°	575w	L202	(47)		
7	Area Side	S4-26°	575w	L202	(42)		
8	Area Side	S4-26°	575w	L202	(46)		
9	US Front	S4-36°	575w	R333+R132	(9)		
10	Area Side	S4-26°	575w	L202	(41)		
11	Specials(TBA)	S4-36°	575w	R132	(17)		
12	US Front	S4-36°	575w	R333+R132	(8)		
13	US Front	S4-36°	575w	R333+R132	(7)		
14	Specials(TBA)	S4-36°	575w	R132	(15)		
15	Area Side	S4-26°	575w	L202	(65)		
16	US Front	S4-36°	575w	R333+R132	(6)		
17	Area Side	S4-26°	575w	L202	(70)		
18	Area Side	S4-26°	575w	L202	(64)		
19	Area Side	S4-26°	575w	L202	(69)		
20	Area Side	S4-26°	575w	L202	(63)		
21	Area Side	S4-26°	575w	L202	(68)		
22	Area Side	S4-26°	575w	L202	(62)		
23	Area Side	S4-26°	575w	L202	(67)		
24	Area Side	S4-26°	575w	L202	(61)		

**2nd Electric/LS 24**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1	Back wall Gobo	S4-36°	575w	N/C, T:GAM 391	(208)		
2	Area Side	S4-26°	575w	L202	(53)		
3	Area Side	S4-26°	575w	L202	(52)		
4	Area Side	S4-26°	575w	L202	(51)		
5		S4 PAR MFL	575w	R339	(163)		
6		S4 PAR MFL	575w	N/C	(94)		
7		S4 PAR MFL	575w	R80	(84)		
8		S4 PAR MFL	575w	N/C	(93)		
9		S4 PAR MFL	575w	R80	(83)		
10		S4 PAR MFL	575w	R339	(162)		
11		S4 PAR MFL	575w	R80	(82)		
12		S4 PAR MFL	575w	N/C	(92)		
13		S4 PAR MFL	575w	R80	(81)		
14		S4 PAR MFL	575w	N/C	(91)		
15		S4 PAR MFL	575w	R339	(161)		
16	Area Side	S4-26°	575w	L202	(73)		
17	Area Side	S4-26°	575w	L202	(72)		
18	Area Side	S4-26°	575w	L202	(71)		
19	Back wall Gobo	S4-36°	575w	N/C, T:GAM 391	(205)		

**3rd Electric/LS 42**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4 PAR MFL	575w	R89	(156)		
2		S4 PAR MFL	575w	R22	(176)		
3		S4 PAR MFL	575w	R89	(155)		
4		S4 PAR MFL	575w	R22	(175)		
5		S4 PAR WFL	575w	R89	(154)		
6		S4 PAR WFL	575w	R22	(174)		
7		S4-36°	575w	R12, T:GAM 341	(181)		
8		S4-36°	575w	R12, T:GAM 341	(182)		
9		S4-36°	575w	N/C, T:GAM 635	(185)		
10		S4-36°	575w	N/C, T:GAM 635	(186)		
11		S4-50°	575w	L202, T:Rosco 71054	(190)		
12		S4 PAR MFL	575w	R339	(166)		
13		S4 PAR MFL	575w	N/C	(98)		
14		S4 PAR MFL	575w	R80	(88)		
15		S4 PAR MFL	575w	N/C	(97)		
16		S4 PAR MFL	575w	R80	(87)		
17		S4 PAR MFL	575w	R339	(165)		
18		S4 PAR MFL	575w	R80	(86)		
19		S4 PAR MFL	575w	N/C	(96)		
20		S4 PAR MFL	575w	R80	(85)		
21		S4 PAR MFL	575w	N/C	(95)		
22		S4 PAR MFL	575w	R339	(164)		
23		S4-50°	575w	L202, T:Rosco 71054	(189)		
24		S4-36°	575w	N/C, T:GAM 635	(188)		

**3rd Electric/LS 42**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
25		S4-36°	575w	N/C, T:GAM 635	(187)		
26		S4-36°	575w	R12, T:GAM 341	(184)		
27		S4-36°	575w	R12, T:GAM 341	(183)		
28		S4 PAR WFL	575w	R22	(173)		
29		S4 PAR WFL	575w	R89	(153)		
30		S4 PAR MFL	575w	R22	(172)		
31		S4 PAR MFL	575w	R89	(152)		
32		S4 PAR MFL	575w	R22	(171)		
33		S4 PAR MFL	575w	R89	(151)		

**5th Electric/LS76**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		Sky Cyc Left	1kW	R83	(303)		
2		2 Celll Sky Cyc Right	1kW	R91	(302)		
3		Sky Cyc Left	1kW	R26	(301)		
5		Sky Cyc Left	1kW	R83	(303)		
6		2 Celll Sky Cyc Right	1kW	R91	(302)		
7		Sky Cyc Left	1kW	R26	(301)		
9		Sky Cyc Left	1kW	R83	(303)		
10		2 Celll Sky Cyc Right	1kW	R91	(302)		
11		Sky Cyc Left	1kW	R26	(301)		
13		Sky Cyc Left	1kW	R83	(303)		
14		2 Celll Sky Cyc Right	1kW	R91	(302)		
15		Sky Cyc Left	1kW	R26	(301)		
17		Sky Cyc Left	1kW	R83	(303)		
18		2 Celll Sky Cyc Right	1kW	R91	(302)		
19		Sky Cyc Left	1kW	R26	(301)		
21		Sky Cyc Left	1kW	R83	(303)		
22		2 Celll Sky Cyc Right	1kW	R91	(302)		
23		Sky Cyc Left	1kW	R26	(301)		

**Upstage floor mount**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°	575w	N/C, T:GAM 847	(214)		
2		S4-36°	575w	N/C, T:Rosco 77798	(216)		
3		S4-36°	575w	N/C, T:Rosco 77798	(217)		
4		S4-36°	575w	N/C, T:GAM 847	(215)		

**DSR Boom**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°	575w	L203	(141)		
2		S4-36°	575w	R68	(131)		
3		S4-36°	575w	R56	(121)		
4		S4-36°	575w	R07	(111)		
5		S4-36°	575w	N/C, T:GAM 703	(101)		

**USR Boom**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°	575w	L203	(142)		
2		S4-36°	575w	R68	(132)		
3		S4-36°	575w	R56	(122)		
4		S4-36°	575w	R07	(112)		
5		S4-36°	575w	N/C, T:GAM 703	(102)		

**DSL Boom**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°	575w	L203	(143)		
2		S4-36°	575w	R68	(133)		
3		S4-36°	575w	R56	(123)		
4		S4-36°	575w	R07	(113)		
5		S4-36°	575w	N/C, T:GAM 703	(103)		

**USL Boom**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Ad	Dm
1		S4-36°	575w	N/C, T:GAM 703	(104)		
2		S4-36°	575w	R07	(114)		
3		S4-36°	575w	R56	(124)		
4		S4-36°	575w	R68	(134)		
5		S4-36°	575w	L203	(144)		